


Example: Microsatellite data set

MIGRATION RATE AND POPULATION SIZE ESTIMATION
 using the coalescent and maximum likelihood or Bayesian inference
 Migrate-n version 3.2.1 [1741]
 Compiled for a SYMMETRIC MULTIPROCESSORS
 Program started at Wed Oct 27 17:10:24 2010
 Program finished at Wed Oct 27 17:11:35 2010



Options

Datatype: Microsatellite data [Brownian motion]
 Missing data: not included
 Random number seed: (from parmfile) 1407071073
 Start parameters:

Theta values were generated from the FST-calculation

M values were generated from guessed values

M-matrix:

-	1.0,
1.0,	-

Connection type matrix:

where m = average (average over a group of Thetas or M,
 s = symmetric M, S = symmetric 4Nm, 0 = zero, and not estimated,
 * = free to vary, Thetas are on diagonal

Population	1	2
1 population_num	*	*
2 population_num	*	*

Order of parameters:

1	Θ_1	<displayed>
2	Θ_2	<displayed>
3	$M_{2 \rightarrow 1}$	<displayed>
4	$M_{1 \rightarrow 2}$	<displayed>

Mutation rate among loci:	Mutation rate is constant for all loci		
Analysis strategy is	Maximum likelihood		
Markov chain settings:	Short chain	Long chain	
Number of chains	10	3	
Recorded steps [a]	500	1000	
Increment (record every x step [b])	2	2	
Visited (sampled) genealogies [a*b]	1000	2000	
Number of discard trees per chain (burn-in)	1000	1000	
Multiple Markov chains:			
Averaging over replicates	Over independent 2 replicates		
Static heating scheme	4 chains with temperatures		
	1000000.00	3.00	1.50
		1.00	
	Swapping interval is 1		
Print options:			
Data file:		infile.msat	
Output file:		outfile-ml	
Summary of genealogies for further run:		sumfile	
Print data:		No	
Print genealogies [only some for some data type]:		None	
Plot log(likelihood) surface:		No	
Profile likelihood:	Yes, tables and summary Percentile method with df=1 and for Theta and M=m/mu		

Data summary

Datatype:	Microsatellite data		
Number of loci:	10		
Population	Locus	Gene copies data	(missing)
1 population__number__0	1	50	(0)
	2	50	(0)
	3	50	(0)
	4	50	(0)
	5	50	(0)
	6	50	(0)
	7	50	(0)
	8	50	(0)
	9	50	(0)
	10	50	(0)
2 population__number__1	1	42	(0)
	2	42	(0)
	3	42	(0)
	4	42	(0)
	5	42	(0)
	6	42	(0)
	7	42	(0)
	8	42	(0)
	9	42	(0)
	10	42	(0)
Total of all populations	1	92	(0)
	2	92	(0)
	3	92	(0)
	4	92	(0)
	5	92	(0)
	6	92	(0)
	7	92	(0)
	8	92	(0)
	9	92	(0)
	10	92	(0)

Allele frequency spectra

Locus 1

Allele	Pop1	Pop2	All
--------	------	------	-----

16	0.220	0.167	0.193
19	0.040	0.071	0.056
18	0.060	0.119	0.090
15	0.220	0.024	0.122
21	0.020	0.167	0.093
23	0.020	0.119	0.070
17	0.280	0.095	0.188
22	0.060	0.119	0.090
25	0.060	0.024	0.042
24	0.020	0.000	0.010
26	0.000	0.024	0.012
27	0.000	0.048	0.024
29	0.000	0.024	0.012

Locus 2

Allele	Pop1	Pop2	All
--------	------	------	-----

16	0.520	0.571	0.546
19	0.040	0.000	0.020
18	0.220	0.119	0.170
17	0.160	0.167	0.163
15	0.020	0.000	0.010
21	0.020	0.071	0.046
20	0.020	0.024	0.022
22	0.000	0.048	0.024

Locus 3

Allele	Pop1	Pop2	All
--------	------	------	-----

19	0.240	0.262	0.251
20	0.280	0.476	0.378
18	0.080	0.095	0.088
21	0.280	0.119	0.200
22	0.120	0.048	0.084

Locus 4

Allele	Pop1	Pop2	All
--------	------	------	-----

Allele	Pop1	Pop2	All
16	0.080	0.071	0.076
24	0.180	0.024	0.102
15	0.020	0.048	0.034
25	0.160	0.167	0.163
14	0.020	0.048	0.034
19	0.100	0.143	0.121
12	0.060	0.000	0.030
20	0.080	0.190	0.135
23	0.060	0.119	0.090
28	0.020	0.000	0.010
22	0.060	0.024	0.042
21	0.160	0.119	0.140
13	0.000	0.024	0.012
26	0.000	0.024	0.012
Locus 5			
Allele	Pop1	Pop2	All
20	0.400	0.524	0.462
21	0.420	0.357	0.389
19	0.180	0.119	0.150
Locus 6			
Allele	Pop1	Pop2	All
19	0.060	0.000	0.030
20	0.100	0.024	0.062
18	0.300	0.214	0.257
22	0.200	0.119	0.160
21	0.120	0.476	0.298
16	0.060	0.000	0.030
24	0.160	0.048	0.104
17	0.000	0.119	0.060
Locus 7			
Allele	Pop1	Pop2	All
23	0.040	0.238	0.139
20	0.660	0.143	0.401
22	0.180	0.190	0.185
21	0.100	0.333	0.217
19	0.020	0.095	0.058

Locus 8

Allele	Pop1	Pop2	All
--------	------	------	-----

19	0.520	0.524	0.522
17	0.040	0.048	0.044
18	0.100	0.071	0.086
20	0.140	0.190	0.165
16	0.080	0.000	0.040
22	0.100	0.048	0.074
15	0.020	0.048	0.034
23	0.000	0.071	0.036

Locus 9

Allele	Pop1	Pop2	All
--------	------	------	-----

24	0.080	0.024	0.052
19	0.300	0.429	0.364
20	0.300	0.167	0.233
23	0.180	0.143	0.161
22	0.080	0.024	0.052
18	0.020	0.071	0.046
21	0.040	0.095	0.068
25	0.000	0.048	0.024

Locus 10

Allele	Pop1	Pop2	All
--------	------	------	-----

22	0.100	0.214	0.157
20	0.440	0.214	0.327
23	0.080	0.167	0.123
24	0.020	0.000	0.010
19	0.160	0.167	0.163
21	0.060	0.048	0.054
18	0.080	0.000	0.040
15	0.020	0.071	0.046
17	0.040	0.048	0.044
25	0.000	0.071	0.036

Maximum Likelihood estimates

Population [x]	Loc.	Ln(L/L ₀)	Θ [x Ne mu]	M (m/mu) [+receiving population]	
				1,+	2,+

1:population	1 1	14.083	1.3698	-	1.702
	1 2	4.905	2.8429	-	1.285
	1 A	9.817	2.8429	-	1.285
	2 1	5.936	1.2777	-	0.734
	2 2	4.843	1.1994	-	5.346
	2 A	9.409	1.0077	-	1.744
	3 1	2.494	0.7241	-	14.051
	3 2	3.105	1.0128	-	8.506
	3 A	4.190	1.0439	-	8.418
	4 1	20.168	1.6360	-	2.421
	4 2	3.987	4.2583	-	6.199
	4 A	40.107	1.6363	-	2.418
	5 1	5.250	0.8210	-	6.429
	5 2	1.972	1.7834	-	5.952
	5 A	7.422	0.7766	-	8.824
	6 1	2.801	1.4171	-	3.436
	6 2	1.516	1.3495	-	0.460
	6 A	5.593	1.4174	-	3.437
	7 1	3.048	0.6849	-	0.481
	7 2	1.720	0.9541	-	3.871
	7 A	5.567	1.1372	-	1.846
	8 1	4.314	1.4659	-	4.641
	8 2	10.116	0.8915	-	5.672
	8 A	10.154	1.3024	-	3.464
	9 1	1.803	1.5762	-	10.598
	9 2	3.245	1.2005	-	5.538
	9 A	6.390	1.1972	-	5.516
	10 1	5.229	1.1492	-	4.101
	10 2	4.795	1.5397	-	7.618
	10 A	9.855	1.1455	-	3.032
	All	75.089	1.2744	-	3.652
2:population	1 1	14.083	1.4698	2.120	-
	1 2	4.905	3.6754	2.873	-
	1 A	9.817	3.6754	2.873	-
	2 1	5.936	1.0589	4.970	-
	2 2	4.843	1.1236	1.651	-
	2 A	9.409	0.7706	1.995	-

3 1	2.494	1.3309	7.595	-
3 2	3.105	0.9440	5.542	-
3 A	4.190	1.0941	4.986	-
4 1	20.168	1.3314	4.396	-
4 2	3.987	3.5330	2.161	-
4 A	40.107	1.3240	4.399	-
5 1	5.250	1.1957	0.548	-
5 2	1.972	1.1150	2.090	-
5 A	7.422	0.9737	0.632	-
6 1	2.801	1.0082	3.351	-
6 2	1.516	1.4842	4.829	-
6 A	5.593	1.0076	3.352	-
7 1	3.048	1.0649	5.586	-
7 2	1.720	1.3375	3.105	-
7 A	5.567	0.7825	4.055	-
8 1	4.314	1.7462	3.143	-
8 2	10.116	1.2734	2.316	-
8 A	10.154	1.0015	2.037	-
9 1	1.803	1.0258	5.018	-
9 2	3.245	1.8208	4.847	-
9 A	6.390	1.8160	4.872	-
10 1	5.229	1.3080	4.409	-
10 2	4.795	1.7804	7.522	-
10 A	9.855	1.0913	4.003	-
All	75.089	1.2126	3.149	-

Comments:

The x is 1, 2, or 4 for mtDNA, haploid, or diploid data, respectively

There were 10 short chains (500 used trees out of sampled 1000)

and 3 long chains (1000 used trees out of sampled 2000)

COMBINATION OF 2 MULTIPLE RUNS Static heating with 4 chains was active

Approximate Likelihood Ratio Tests

Legend for the likelihood ratio tables

Null-Hypothesis: your test model is equal to full model (the model under which the genealogies were sampled)	Log(likelihood) of test model Log(likelihood) of full model Likelihood ratio test value Degrees of freedom of test [Theta values are on the diagonal of the
Migration matrix, migration rates are specified as M]	Probability* Probability** Akaike's Information Criterion*** Number of parameters used

*) Probability under the assumption that parameters have range -Inf to Inf

**) Probability under the assumption that parameters have range 0 to Inf

***) AIC: the smaller the value the better the model

[the full model has AIC=-142.177528, num(param)=4]

H0: 1.2435 3.4001 3.4001 1.2435 = 1.2744 3.6515 3.1487 1.2126 [m, m, m, m,]	LnL(test) = 74.240078 LnL(full) = 75.088764 LRT = 1.697371 df = 4 Prob = 0.791195 Probc = 0.791195 AIC = -144.480157 num(param) = 2
---	--


Profile likelihood tables and plots

Profile likelihood table and plot for parameter Θ_1

Parameters are evaluated at percentiles using bisection method (slow, but exact).

Per.	Ln(L)	Θ_1	Θ_1	Θ_2	$M_{2 \rightarrow 1}$	$M_{1 \rightarrow 2}$
------	-------	------------	------------	------------	-----------------------	-----------------------

0.005	71.771	1.10104	1.1010	1.2182	3.643	3.116
0.025	73.168	1.13901	1.1390	1.2146	3.643	3.124
0.050	73.736	1.1593	1.1593	1.2135	3.644	3.129
0.250	74.861	1.2254	1.2254	1.2127	3.649	3.145
MLE	75.089*	1.27442	1.2744	1.2126	3.652	3.149
0.750	74.862	1.32546	1.3255	1.2116	3.653	3.145
0.950	73.736	1.40316	1.4032	1.2082	3.662	3.133
0.975	73.167	1.4296	1.4296	1.2067	3.666	3.129
0.995	71.772	1.4831	1.4831	1.2036	3.678	3.121




Profile likelihood table and plot for parameter Θ_2

Parameters are evaluated at percentiles using bisection method (slow, but exact).

Per.	Ln(L)	Θ_2	Θ_1	Θ_2	$M_{2 \rightarrow 1}$	$M_{1 \rightarrow 2}$
------	-------	------------	------------	------------	-----------------------	-----------------------


0.005	71.771	1.03759	1.2658	1.0376	3.587	3.092
0.025	73.169	1.0752	1.2692	1.0752	3.607	3.100
0.050	73.737	1.09533	1.2709	1.0953	3.617	3.105
0.250	74.862	1.16177	1.2741	1.1618	3.642	3.127
MLE	75.089*	1.21263	1.2744	1.2126	3.652	3.149
0.750	74.861	1.26882	1.2739	1.2688	3.649	3.180
0.950	73.736	1.36169	1.2754	1.3617	3.624	3.244
0.975	73.169	1.39499	1.2768	1.3950	3.619	3.264
0.995	71.771	1.46278	1.2801	1.4628	3.623	3.296

Profile likelihood table and plot for parameter $M_{2 \rightarrow 1}$

Parameters are evaluated at percentiles using bisection method (slow, but exact).

Per.	Ln(L)	$M_{2 \rightarrow 1}$	Θ_1	Θ_2	$M_{2 \rightarrow 1}$	$M_{1 \rightarrow 2}$
------	-------	-----------------------	------------	------------	-----------------------	-----------------------


0.005	71.771	2.92341	1.2695	1.2044	2.923	3.178
0.025	73.168	3.08144	1.2724	1.2111	3.081	3.179
0.050	73.736	3.16718	1.2733	1.2132	3.167	3.177
0.250	74.862	3.45004	1.2741	1.2131	3.450	3.158
MLE	75.089*	3.65153	1.2744	1.2126	3.652	3.149
0.750	74.861	3.85074	1.2746	1.2156	3.851	3.156
0.950	73.737	4.13606	1.2732	1.2233	4.136	3.195
0.975	73.169	4.2298	1.2720	1.2264	4.230	3.216
0.995	71.771	4.41608	1.2683	1.2335	4.416	3.268

Profile likelihood table and plot for parameter $M_{1 \rightarrow 2}$

Parameters are evaluated at percentiles using bisection method (slow, but exact).

Per.	Ln(L)	$M_{1 \rightarrow 2}$	Θ_1	Θ_2	$M_{2 \rightarrow 1}$	$M_{1 \rightarrow 2}$
------	-------	-----------------------	------------	------------	-----------------------	-----------------------

0.005	71.771	2.52006	1.2626	1.1980	3.670	2.520
0.025	73.168	2.65819	1.2671	1.1996	3.668	2.658
0.050	73.735	2.73147	1.2691	1.2008	3.666	2.731
0.250	74.861	2.97023	1.2735	1.2063	3.656	2.970
MLE	75.089*	3.14868	1.2744	1.2126	3.652	3.149
0.750	74.861	3.33791	1.2734	1.2215	3.656	3.338
0.950	73.736	3.62832	1.2681	1.2372	3.692	3.628
0.975	73.168	3.72684	1.2657	1.2424	3.710	3.727
0.995	71.772	3.92183	1.2618	1.2516	3.744	3.922



Summary of profile likelihood percentiles of all parameters

Parameter	Percentiles								
	0.005	0.025	0.05	0.25	MLE	0.75	0.95	0.975	0.995
Θ_1	1.1010	1.1390	1.1593	1.2254	1.2744	1.3255	1.4032	1.4296	1.4831
Θ_2	1.0376	1.0752	1.0953	1.1618	1.2126	1.2688	1.3617	1.3950	1.4628
M_21	2.9234	3.0814	3.1672	3.4500	3.6515	3.8507	4.1361	4.2298	4.4161
M_12	2.5201	2.6582	2.7315	2.9702	3.1487	3.3379	3.6283	3.7268	3.9218