


Example: Microsatellite data set

MIGRATION RATE AND POPULATION SIZE ESTIMATION
 using the coalescent and maximum likelihood or Bayesian inference
 Migrate-n version 3.2.4 [1772]
 Compiled for a SYMMETRIC MULTIPROCESSORS
 Program started at Fri Nov 26 18:53:52 2010
 Program finished at Fri Nov 26 18:53:53 2010



Options

Datatype: Microsatellite data [Brownian motion]
 Missing data: not included

Inheritance scalers in use for Thetas: 1.00 1.00
 1.00 1.00 1.00 1.00 1.00
 1.00 1.00 1.00

[Each Theta uses the (true) inheritance scalar of the first locus as a reference]

Random number seed: (from parmfile) 1407071073

Start parameters:

Theta values were generated from the FST-calculation

M values were generated from guessed values

M-matrix:

-	1.0,
1.0,	-

Connection type matrix:

where m = average (average over a group of Thetas or M,
 s = symmetric M, S = symmetric 4Nm, 0 = zero, and not estimated,
 * = free to vary, Thetas are on diagonal

Population	1	2
1 population_num	*	*
2 population_num	*	*

Order of parameters:			
1	Θ_1	<displayed>	
2	Θ_2	<displayed>	
3	$M_{2 \rightarrow 1}$	<displayed>	
4	$M_{1 \rightarrow 2}$	<displayed>	
Mutation rate among loci:			
Mutation rate is constant for all loci			
Analysis strategy is			
Maximum likelihood			
Markov chain settings:			
Number of chains		Short chain	Long chain
Recorded steps [a]		1	1
Increment (record every x step [b])		10	10
Visited (sampled) genealogies [a*b]		1	2
		10	20
Multiple Markov chains:			
Averaging over replicates		Over independent 2 replicates	
Static heating scheme		4 chains with temperatures	
		1000000.00	3.00 1.50 1.00
Print options:			
Data file:		infile.msat	
Output file:		outfile-ml	
Summary of genealogies for further run:		sumfile	
Print data:		No	
Print genealogies [only some for some data type]:		None	
Plot log(likelihood) surface:		No	
Profile likelihood:		Yes, tables and summary Percentile method with df=1 and for Theta and M=m/mu	

Data summary

Datatype:	Microsatellite data		
Number of loci:	10		
Population	Locus	Gene copies data	(missing)
1 population__number__0	1	50	(0)
	2	50	(0)
	3	50	(0)
	4	50	(0)
	5	50	(0)
	6	50	(0)
	7	50	(0)
	8	50	(0)
	9	50	(0)
	10	50	(0)
2 population__number__1	1	42	(0)
	2	42	(0)
	3	42	(0)
	4	42	(0)
	5	42	(0)
	6	42	(0)
	7	42	(0)
	8	42	(0)
	9	42	(0)
	10	42	(0)
Total of all populations	1	92	(0)
	2	92	(0)
	3	92	(0)
	4	92	(0)
	5	92	(0)
	6	92	(0)
	7	92	(0)
	8	92	(0)
	9	92	(0)
	10	92	(0)

Allele frequency spectra

Locus 1

Allele	Pop1	Pop2	All
--------	------	------	-----

16	0.220	0.167	0.193
19	0.040	0.071	0.056
18	0.060	0.119	0.090
15	0.220	0.024	0.122
21	0.020	0.167	0.093
23	0.020	0.119	0.070
17	0.280	0.095	0.188
22	0.060	0.119	0.090
25	0.060	0.024	0.042
24	0.020	0.000	0.010
26	0.000	0.024	0.012
27	0.000	0.048	0.024
29	0.000	0.024	0.012

Locus 2

Allele	Pop1	Pop2	All
--------	------	------	-----

16	0.520	0.571	0.546
19	0.040	0.000	0.020
18	0.220	0.119	0.170
17	0.160	0.167	0.163
15	0.020	0.000	0.010
21	0.020	0.071	0.046
20	0.020	0.024	0.022
22	0.000	0.048	0.024

Locus 3

Allele	Pop1	Pop2	All
--------	------	------	-----

19	0.240	0.262	0.251
20	0.280	0.476	0.378
18	0.080	0.095	0.088
21	0.280	0.119	0.200
22	0.120	0.048	0.084

Locus 4

Allele	Pop1	Pop2	All
--------	------	------	-----

Allele	Pop1	Pop2	All
16	0.080	0.071	0.076
24	0.180	0.024	0.102
15	0.020	0.048	0.034
25	0.160	0.167	0.163
14	0.020	0.048	0.034
19	0.100	0.143	0.121
12	0.060	0.000	0.030
20	0.080	0.190	0.135
23	0.060	0.119	0.090
28	0.020	0.000	0.010
22	0.060	0.024	0.042
21	0.160	0.119	0.140
13	0.000	0.024	0.012
26	0.000	0.024	0.012
Locus 5			
Allele	Pop1	Pop2	All
20	0.400	0.524	0.462
21	0.420	0.357	0.389
19	0.180	0.119	0.150
Locus 6			
Allele	Pop1	Pop2	All
19	0.060	0.000	0.030
20	0.100	0.024	0.062
18	0.300	0.214	0.257
22	0.200	0.119	0.160
21	0.120	0.476	0.298
16	0.060	0.000	0.030
24	0.160	0.048	0.104
17	0.000	0.119	0.060
Locus 7			
Allele	Pop1	Pop2	All
23	0.040	0.238	0.139
20	0.660	0.143	0.401
22	0.180	0.190	0.185
21	0.100	0.333	0.217
19	0.020	0.095	0.058

Locus 8

Allele	Pop1	Pop2	All
--------	------	------	-----

19	0.520	0.524	0.522
17	0.040	0.048	0.044
18	0.100	0.071	0.086
20	0.140	0.190	0.165
16	0.080	0.000	0.040
22	0.100	0.048	0.074
15	0.020	0.048	0.034
23	0.000	0.071	0.036

Locus 9

Allele	Pop1	Pop2	All
--------	------	------	-----

24	0.080	0.024	0.052
19	0.300	0.429	0.364
20	0.300	0.167	0.233
23	0.180	0.143	0.161
22	0.080	0.024	0.052
18	0.020	0.071	0.046
21	0.040	0.095	0.068
25	0.000	0.048	0.024

Locus 10

Allele	Pop1	Pop2	All
--------	------	------	-----

22	0.100	0.214	0.157
20	0.440	0.214	0.327
23	0.080	0.167	0.123
24	0.020	0.000	0.010
19	0.160	0.167	0.163
21	0.060	0.048	0.054
18	0.080	0.000	0.040
15	0.020	0.071	0.046
17	0.040	0.048	0.044
25	0.000	0.071	0.036

Maximum Likelihood estimates

Population [x]	Loc.	Ln(L/L ₀)	Θ [x Ne mu]	M (m/mu) [+receiving population 1,+ 2,+]	
----------------	------	-----------------------	----------------	--	--

1:population	1 1	1.133	1.2800	-	4.670
	1 2	0.071	1.0257	-	3.704
	1 A	1.501	1.2757	-	4.657
	2 1	4.556	1.3490	-	2.902
	2 2	1.283	1.4187	-	2.431
	2 A	3.331	1.3361	-	2.944
	3 1	1.840	1.6118	-	3.812
	3 2	3.540	1.3499	-	3.718
	3 A	5.866	1.3516	-	3.722
	4 1	11.716	1.3475	-	4.991
	4 2	1.399	1.3919	-	5.563
	4 A	3.083	1.3909	-	5.486
	5 1	2.662	1.4247	-	4.912
	5 2	16.527	1.3569	-	6.476
	5 A	16.043	1.3536	-	6.459
	6 1	0.192	1.4904	-	3.089
	6 2	2.861	1.2358	-	2.623
	6 A	1.382	1.2652	-	2.720
	7 1	1.015	0.9890	-	5.755
	7 2	1.188	1.0444	-	3.782
	7 A	1.613	0.9834	-	6.489
	8 1	7.155	1.4180	-	2.358
	8 2	11.836	1.3517	-	3.786
	8 A	19.735	1.3502	-	3.782
	9 1	1.903	1.2448	-	4.543
	9 2	3.234	1.4056	-	2.598
	9 A	6.585	1.4056	-	2.598
	10 1	0.002	1.3058	-	3.730
	10 2	5.422	1.4252	-	2.742
	10 A	3.806	1.4249	-	2.744
	All	50.211	1.3069	-	3.793
2:population	1 1	1.133	1.2614	2.968	-
	1 2	0.071	1.4978	4.056	-
	1 A	1.501	1.2650	2.980	-
	2 1	4.556	1.1409	6.550	-
	2 2	1.283	0.9433	8.906	-
	2 A	3.331	1.1154	6.691	-

Example: Microsatellite data set -- 8

3 1	1.840	0.9486	6.703	-
3 2	3.540	1.3634	6.579	-
3 A	5.866	1.3634	6.683	-
4 1	11.716	1.3339	4.356	-
4 2	1.399	1.3016	3.891	-
4 A	3.083	1.3045	3.978	-
5 1	2.662	1.3011	6.632	-
5 2	16.527	1.2492	3.971	-
5 A	16.043	1.2503	3.971	-
6 1	0.192	0.9143	5.059	-
6 2	2.861	1.0381	6.013	-
6 A	1.382	1.0229	6.060	-
7 1	1.015	1.3485	2.577	-
7 2	1.188	1.3320	3.464	-
7 A	1.613	1.3525	2.667	-
8 1	7.155	1.3954	9.788	-
8 2	11.836	1.5031	3.334	-
8 A	19.735	1.5042	3.341	-
9 1	1.903	1.3049	2.821	-
9 2	3.234	1.2137	5.119	-
9 A	6.585	1.2137	5.119	-
10 1	0.002	1.2346	4.850	-
10 2	5.422	1.1170	3.133	-
10 A	3.806	1.1194	3.134	-
All	50.211	1.2647	4.248	-

Comments:

The x is 1, 2, or 4 for mtDNA, haploid, or diploid data, respectively

There were 1 short chain (10 used trees out of sampled 10)

and 1 long chain (10 used trees out of sampled 20)

COMBINATION OF 2 MULTIPLE RUNS Static heating with 4 chains was active

Approximate Likelihood Ratio Tests

Legend for the likelihood ratio tables

Null-Hypothesis: your test model is equal to full model (the model under which the genealogies were sampled)	Log(likelihood) of test model Log(likelihood) of full model Likelihood ratio test value Degrees of freedom of test [Theta values are on the diagonal of the
Migration matrix, migration rates are specified as M]	Probability* Probability** Akaike's Information Criterion*** Number of parameters used

*) Probability under the assumption that parameters have range -Inf to Inf

**) Probability under the assumption that parameters have range 0 to Inf

***) AIC: the smaller the value the better the model

[the full model has AIC=-92.421364, num(param)=4]

H0: 1.2858 4.0202 4.0202 1.2858 = 1.3069 3.7927 4.2477 1.2647 [m, m, m, m,]	LnL(test) = 49.621479 LnL(full) = 50.210682 LRT = 1.178405 df = 4 Prob = 0.881641 Probc = 0.881641 AIC = -95.242959 num(param) = 2
---	---


Profile likelihood tables and plots

Profile likelihood table and plot for parameter Θ_1

Parameters are evaluated at percentiles using bisection method (slow, but exact).

Per.	Ln(L)	Θ_1	Θ_1	Θ_2	$M_{2 \rightarrow 1}$	$M_{1 \rightarrow 2}$
------	-------	------------	------------	------------	-----------------------	-----------------------

0.005	46.894	1.15964	1.1596	1.2855	3.828	4.357
0.025	48.290	1.19293	1.1929	1.2804	3.816	4.332
0.050	48.857	1.2104	1.2104	1.2777	3.811	4.318
0.250	49.983	1.26628	1.2663	1.2698	3.799	4.275
MLE	50.211*	1.30689	1.3069	1.2647	3.793	4.248
0.750	49.984	1.34896	1.3490	1.2601	3.788	4.224
0.950	48.858	1.41247	1.4125	1.2542	3.785	4.197
0.975	48.290	1.43386	1.4339	1.2524	3.784	4.189
0.995	46.893	1.47679	1.4768	1.2491	3.783	4.176




Profile likelihood table and plot for parameter Θ_2

Parameters are evaluated at percentiles using bisection method (slow, but exact).

Per.	Ln(L)	Θ_2	Θ_1	Θ_2	$M_{2 \rightarrow 1}$	$M_{1 \rightarrow 2}$
------	-------	------------	------------	------------	-----------------------	-----------------------


0.005	46.894	1.10447	1.3223	1.1045	3.775	4.173
0.025	48.289	1.14023	1.3187	1.1402	3.777	4.188
0.050	48.858	1.15913	1.3169	1.1591	3.779	4.196
0.250	49.984	1.21997	1.3111	1.2200	3.786	4.225
MLE	50.211*	1.26472	1.3069	1.2647	3.793	4.248
0.750	49.982	1.31185	1.3024	1.3118	3.800	4.273
0.950	48.858	1.38359	1.2958	1.3836	3.811	4.312
0.975	48.290	1.408	1.2936	1.4080	3.815	4.325
0.995	46.893	1.4574	1.2895	1.4574	3.823	4.350

Profile likelihood table and plot for parameter $M_{2 \rightarrow 1}$

Parameters are evaluated at percentiles using bisection method (slow, but exact).

Per.	Ln(L)	$M_{2 \rightarrow 1}$	Θ_1	Θ_2	$M_{2 \rightarrow 1}$	$M_{1 \rightarrow 2}$
------	-------	-----------------------	------------	------------	-----------------------	-----------------------


0.005	46.893	3.09047	1.3041	1.2657	3.090	4.260
0.025	48.290	3.24716	1.3057	1.2644	3.247	4.254
0.050	48.857	3.32974	1.3064	1.2640	3.330	4.252
0.250	49.982	3.59557	1.3074	1.2637	3.596	4.249
MLE	50.211*	3.79268	1.3069	1.2647	3.793	4.248
0.750	49.983	4.00122	1.3053	1.2669	4.001	4.242
0.950	48.858	4.32653	1.3006	1.2718	4.327	4.197
0.975	48.290	4.44115	1.2984	1.2738	4.441	4.166
0.995	46.894	4.68102	1.2934	1.2778	4.681	4.083

Profile likelihood table and plot for parameter $M_{1 \rightarrow 2}$

Parameters are evaluated at percentiles using bisection method (slow, but exact).

Per.	Ln(L)	$M_{1 \rightarrow 2}$	Θ_1	Θ_2	$M_{2 \rightarrow 1}$	$M_{1 \rightarrow 2}$
------	-------	-----------------------	------------	------------	-----------------------	-----------------------

0.005	46.893	3.43944	1.3098	1.2578	3.937	3.439
0.025	48.290	3.6265	1.3118	1.2574	3.871	3.627
0.050	48.858	3.72296	1.3123	1.2576	3.844	3.723
0.250	49.984	4.02631	1.3106	1.2606	3.800	4.026
MLE	50.211*	4.24768	1.3069	1.2647	3.793	4.248
0.750	49.983	4.48369	1.3016	1.2702	3.794	4.484
0.950	48.858	4.84886	1.2928	1.2789	3.797	4.849
0.975	48.289	4.97321	1.2903	1.2814	3.797	4.973
0.995	46.894	5.22011	1.2864	1.2852	3.795	5.220



Summary of profile likelihood percentiles of all parameters

Parameter	Percentiles								
	0.005	0.025	0.05	0.25	MLE	0.75	0.95	0.975	0.995
Θ_1	1.1596	1.1929	1.2104	1.2663	1.3069	1.3490	1.4125	1.4339	1.4768
Θ_2	1.1045	1.1402	1.1591	1.2200	1.2647	1.3118	1.3836	1.4080	1.4574
M_21	3.0905	3.2472	3.3297	3.5956	3.7927	4.0012	4.3265	4.4412	4.6810
M_12	3.4394	3.6265	3.7230	4.0263	4.2477	4.4837	4.8489	4.9732	5.2201